

EMERGENCY DRENCH EQUIPMENT

EYE WASHES
EYE/FACE WASHES
SHOWERS
COMBINATION STATIONS
DRENCH HOSES
MIXING VALVES
PARTS & ACCESSORIES





Model So410

Wall mounted eyewash, with an ABS plastic bowl and eyewash spray heads, integral inline strainer and a stay-open 1/2" ball valve with a push handle and High Visibility yellow powder coated wall bracket.

Additional options:

- Barrier Free
- 1-1/4 P-Trap
- Freeze and scald protection valves
- Flip-top stainless steel dust covers
- Thermostatic mixing valve



Model So440

Wall mounted eye/face wash, with a stainless steel bowl, ABS plastic eye/face wash spray heads, an inline strainer and High Visibility yellow powder coated wall bracket.

Additional options:

- Stainless steel clam shell dust cover
- Flow switch, single or double pole
- Barrier free
- Thermostatic mixing valve
- Less wall bracket



Model Sog60-RH

Deck mounted swivel eye/face wash with ABS plastic eye/face wash spray heads. The eye/face wash swings out horizontally from the right side and the water flow is activated automatically.

Additional options:

- Left hand activation
- All stainless steel
- Thermostatic mixing valve
- Flip-top stainless steel dust covers
- Flow switch, single or double pole



Model S2260-RA-PAN

Barrier free, recessed activated, eye/face wash with ABS plastic eye/face wash spray heads and a horizontally mounted emergency shower with a stainless steel showerhead. NOTE: When the activation is installed at the proper height, unit meets the ADA accessibility requirements.

Additional options:

- Electric light and horn alarm
- Modesty curtain
- All stainless steel
- Thermostatic mixing valve



Model So340-CS1

High Visibility yellow pedestal mounted eye/face wash, with stainless steel bowl and ABS eye/face wash heads, clam shell style dust cover activated by push handle on 1/2" stay open valve, in-line strainer.

Additional options:

- Barrier free
- Hand/foot control
- Stainless steel ball valve
- Freeze and scald protection valves
- Hand held drench hose



Model S1360-HT

Heat traced, pedestal mounted combination shower station with an eye/face wash, freeze protection valve, an inline strainer and a stay-open ball valves. Unit is insulated and encased in a molded ABS jacket with heat traced cable and a thermostat to control the heating. Class 1, Div.2 standard.

Additional options:

- Flashing light and alarm
- Scald protection valve
- Power indicator and area light



Model So860-RH

Deck mounted swing down eye/face wash with ABS plastic eye/face wash spray heads. The eye/face wash swings down over the sink from the rear and the water flow is activated automatically.

Additional options:

- All stainless steel
- Left hand activation
- Thermostatic mixing valve
- Flip-top stainless steel dust covers



Model S1200

Horizontally mounted emergency shower with an ABS plastic showerhead and a 1" stay-open ball valve with a pull rod.

Additional options:

- Modesty curtain
- 60" pull rod
- Flow switch
- Electric light and horn alarm
- Thermostatic mixing valve.



ET71

Features & Benefits:

- A fast responding and highly reliable paraffin-based thermal actuator for superior performance in Emergency Tempering.
- Patent pending isolated internal CW by-pass provides lower cost of ownership than competing valves.
- Optional lockable ball valves for inlet HW and CW supplies reduce the risk of unauthorized access without the need for a lockable cabinet.
- Factory set at 85^o F for ease of installation.
- Four models from 9.8 to 122 GPM (@ 30 psid).



Model S1310

Pedestal mounted combination station with an ABS plastic bowl and eyewash spray heads, an inline strainer and a stay-open 1/2" ball valve with a push handle and a shower with a plastic showerhead and a 1" stay-open ball valve with a pull rod.

Additional options:

- Barrier free
- Hand/foot control
- Thermostatic mixing valves
- Modesty curtain
- Hand held drench hose



Model S1330

Pedestal mounted combination station with a stainless steel bowl, ABS plastic eyewash spray heads, an inline strainer and a stay-open 1/2" ball valve with a push handle and a shower with an ABS plastic showerhead and a 1" stay-open ball valve with a pull rod.

Additional options:

- Electric light and horn alarm
- Modesty curtain
- Stainless steel clam shell dust cover
- Flow switch
- Barrier free



Model S1340

Pedestal mounted combination station with a stainless steel bowl, ABS plastic eye/face wash spray heads, an inline strainer and a stay-open 1/2" ball valve with a push handle and a shower with an ABS plastic showerhead and a 1" stay-open ball valve with a pull rod.

Additional options:

- Barrier free
- Thermostatic mixing valve
- Electric light and alarm
- Freeze and scald protection valves
- Stainless steel ball valves



A Division of Acorn Engineering Company

EMERGENCY DRENCH EQUIPMENT

MEMBER OF



MORRIS GROUP
INTERNATIONAL

THE ACORN ADVANTAGE

There are a number of features standard to the Acorn Safety line that enhance product use and awareness. An integral inline strainer is standard on all eye and eye/face wash models to remove the risk of injurious particles in the water line. All Acorn models are powder coated in a High Visibility yellow. This increases the visual recognition of the models' location and provides additional protection in corrosive environments. Many Acorn Safety models will have extensive pre-assembly at the factory before shipping. This will allow for easier and quicker installation by the customer.

P.O. Box 3527
City of Industry, CA
91744-0527 USA

p [800] 591 | 9372
p [626] 855 | 4804
f [626] 937 | 4213

w [acorneng.com]

L1001161
5-14

EYE WASHES
EYE/FACE WASHES
SHOWERS
COMBINATION STATIONS
DRENCH HOSES
MIXING VALVES
PARTS & ACCESSORIES

acorneng.com